


Data sheet for print file requirements - April 2023

On the product example of 50 × 75 cm



Requirements

A	Data size:	76 × 51 cm
B	Production size:	75 × 50 cm ¹
C	Bleed size:	0,5 cm (Items without surrounding edge) 0,7 cm (Items with surrounding edge)
D	Safety distance:	4 cm ¹

Resolution:	100 dpi
Thickness of lines:	10 pt ²
File format:	PNG, JPG, TIF

Explanations

A	Data size:	The size of the delivered file
B	Production size:	The real production size of the final product ¹
C	Bleed size:	Oversize measurement to allow to cut the final format
D	Safety distance:	Safety distance to the edges for types and logos ¹


¹ Production size and safety distance

Please note that the production of our printed floor mats can lead to technically caused deviations of the final production size. As a result, symmetrically aligned elements in the edge area can be offset. However, this does not represent a material defect.

Extract from the General Terms and Conditions for Sale and Delivery of the Laupheimer Kokosweberei GmbH & Co. KG:

7.3 In case of the delivery of doormats, size tolerances of +/- 3% compared to the agreed sizes are permissible and do not constitute a material defect (§ 434 BGB).

Effects of technical caused deviations on symmetrical objects



² Examples of line thickness

Fashion Printed

Modern Printed



Explanatory notes

We recommend a line thickness of 10 pt.

1 pt \cong 0,35 mm